

22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com





ARWEN 37mm Less Lethal System

Table of Contents

Note: This package uses the Bookmarks feature of Adobe Acrobat Reader, click on the Bookmark tab to expand the Adobe Bookmarks. You can then navigate through the sections of this package.

• Table of Contents	1 page
• ARWEN Less Lethal System Overview	5 pages
• ARWEN Less Lethal System at a Glance	2 pages
 ARWEN 37 Mark III Specification Sheet 	1 page
• ARWEN 37T Mark III Tactical Specification Sheet	1 page
 ARWEN 37S Mark III Shorty Specification Sheet 	1 page
• ARWEN ACE Specification Sheet	1 page
• ARWEN ACE T – Tactical Specification Sheet	1 page
• ARWEN ACE P – Pistol Specification Sheet	1 page
• J.E.R.R.I.T. Less Lethal Impact Target Specifications	1 page
 ARWEN 37 mm AR-1 Reloading Kit Specifications 	3 pages
• ARWEN Law Enforcement Products List	3 pages
• ARWEN Law Enforcement Munitions List	4 pages
• Step by Step ordering instructions for 37mm ARWEN Munitions	1 page
• Certificate of Sole Source Provider	1 page
• ARWEN 37 Permit Application Process for US Agencies	5 pages
• ARWEN ACE Permit Application Process for US Agencies	5 pages

ATF forms are available from our Web Site Downloadable Documents section.

The ATF form is also available in Microsoft Word format on the BATF Web Site: http://www.atf.gov/forms/msword/f53303a.dot



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com





ARWEN Less Lethal System Overview

We sincerely thank you for your interest in the ARWEN 37mm Less Lethal System.

A Brief Background:

We at Police Ordnance Company Inc. have supported the ARWEN Less Lethal System since the mid 1990's. We began by distributing the original Royal Ordnance ARWEN system in North America. In March of 2001 ARWEN was acquired by Police Ordnance Company Inc. from Royal Ordnance. Police Ordnance is now the sole owner, manufacturer and provider of the ARWEN Less Lethal System. ARWEN is a registered trademark of Police Ordnance Company Inc. All related sales, support and marketing of ARWEN products is the sole responsibility of Police Ordnance Company Inc.

The ARWEN Less Lethal Weapon System has expanded from the original ARWEN 37 and ARWEN ACE.

We now offer the ARWEN 37 (285mm 11.25 inch Barrel), ARWEN 37T Tactical (185mm 7.25 inch Barrel), and the ARWEN 37S Shorty (185mm 7.25 inch Barrel) no Buttstock models of the Multi Shot ARWEN 37.

The ARWEN ACE (285mm 11.25 inch Barrel) has expanded from the original model adding the ARWEN ACE-T Tactical (185mm 7.25 inch Barrel) and the ARWEN ACE-P Pistol (185mm 7.25 inch Barrel) no Buttstock models of the ARWEN ACE.

Police Ordnance proudly manufactures the ARWEN 37 Mark III Less Lethal System in Canada. We have enhanced many components using modern CNC manufacturing processes. Some of our enhancements are:

- ARWEN 37 Mark III Rotary Magazine Housing (Receiver) by adding an Accessory Mounting Base as an integral feature of the Rotary Magazine Housing. This interfaces with our new A37-AM4 Tactical mounts. The A37-AM4-R is specifically designed to mount the Trijicon ACOG Reflex Series of Sights. The A37-AM4-P is a Military Specification Picatinny Rail interface providing an interface to any device designed for the Picatinny system.
- ARWEN 37 Rifled Barrels are manufactured from the highest quality 6061T6 Aircraft Aluminum. ARWEN 37mm Barrels are rifled by a proprietary CNC Controlled ECM process. Barrels are then machined in CNC Lathes for their external profile. The Canadian ARWEN Barrels are producing 30% tighter groups at 25 meters using our "Made in Canada" AR-1 Impact Baton Munitions.
- ARWEN 37 Sprockets are CNC Machined from Solid 6061T6 (front) and 7075T6 (rear) Aircraft Aluminum.
- The Rear Tube on the ARWEN 37 is CNC machined from extruded 6061T6 Aircraft Aluminum Tubing. The Rear Tube has been shortened by 50mm (2 inches) as a result of user feedback. This was the number one modification requested for the original ARWEN 37 to accommodate current operational equipment requirements.



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com





- Other Aluminum components are also CNC machined from Solid 6061T6 Aircraft Aluminum.
- All Canadian manufactured ARWEN 37 Aluminum Components are Black Hard Anodized. We specify current Military Specification Anodize. The Anodizing Company we use is the only company certified to meet the US, Canadian and British MOD standards located in North America. This Military grade process ensures long term durability of aluminum components.
- The ARWEN 37 Trigger Return Spring is now manufactured from stainless steel as this component is not user serviceable. Other components are manufactured using stainless steel where practical. Stainless Steel offers enhanced durability and longevity.
- The ARWEN 37 employs propriety state of the art engineered resins (plastics) for non metallic components. These engineered resins contain glass fibers that add strength and durability. These components are molded using modern computer controlled injection molding equipment.
- The ARWEN 37 employs many other features and enhancements too numerous to mention here.
- Police Ordnance Company Inc. is committed to producing and supporting the leading edge Less
 Lethal System. The ARWEN 37 continues to be a dynamic system that will continue to be enhanced
 as operational requirements change.

ARWEN is a cost effective Less Lethal "System"

ARWEN 37mm Less Lethal Munitions have recoverable components that when reused provide greatly reduced operator training costs. We also offer replacement components at reasonable prices. We encourage and support operator training. Our goal is to keep these training costs to a minimum. Reloading procedures are covered in the ARWEN Manual and during our Armourer and Operator Instructor Certification Courses.

New variants of ARWEN 37mm Less Lethal Munitions have and will continue to be developed to further enhance the versatility of the ARWEN Less Lethal System.

ARWEN 37mm Less Lethal Munitions are now available from our US manufacturing facilities to provide easy and rapid access of ARWEN Less Lethal Munitions for US Agencies. When a Purchase Order is placed with Police Ordnance Company Inc., US Agencies will receive their ARWEN Less Lethal Munitions shipped from our US manufacturing facility thus avoiding cross border import issues.

Police Ordnance offers Factory Armourer and Operator Instructor Certification. This certification is provided in a three day ARWEN Armourer and Operator Instructor Certification Course. Please visit our Web Site for course details and a growing list of Certified ARWEN Factory Armourer and Operator Instructor Candidates.



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com





ARWEN is an extensive and versatile Less Lethal "System"

The ARWEN Less Lethal System is supported with the availability functional accessories.

The ARWEN Sight Mounting options such as the A37-AM4-P for the Trijicon Reflex family of Military Reflex Sights and the A37-AM4-P Picatinny Rail Interface for the EOTech Heads Up Display Military Sights. These systems offer superior target acquisition in difficult situations.

The ARWEN Tactical Sling offers a 3 point sling system to the ARWEN Less Lethal Weapons.

The ARWEN Reloading Kit provided the tools required to reload ARWEN AR-1 Impact Baton munitions for operator training. Recovering and reusing AR-1 components greatly reduces costs associated with operator training.

J.E.R.R.I.T. is our 3-D Judgmental Extended Range Reactionary Impact Target. It was specifically designed for training and maintaining ARWEN Less Lethal System Operator skills.

The ARWEN Cordura Semi Soft Case provides protection for the ARWEN Less Lethal System and is designed to offer rapid deployment of the ARWEN system. The ARWEN case also provides 28 pockets for easily accessible ARWEN Less Lethal munitions.

The ARWEN Less Lethal System is supported by industry leading Armourer and Operator Instructor certification Courses. These courses provide an in-depth understanding of the ARWEN system and Operator Instructor techniques. Courses are offered throughout the year.

The ARWEN Less Lethal System is supported with an extensive availability of Less Lethal munitions covering a multitude of operational scenarios. Presented here is a brief introduction to our ARWEN Less Lethal Munitions which are divided into seven "families".

The **ARWEN AR-1 Impact Baton** Less Lethal Munitions are available is six variants.

- The **ARWEN AR-1** (Standard Energy) Impact Baton Round with a Muzzle Velocity of 74 meters per second (242 feet per second). The Baton is **green** with **black** rotating bands.
- The **ARWEN AR-1ME** (Medium Energy) Impact Baton Round with a Muzzle Velocity of 61 meters per second (200 feet per second). The Baton is **black** with white rotating bands.
- The **ARWEN AR-1RE** (Reduced Energy) Impact Baton Round with a Muzzle Velocity of 50 meters per second (164 feet per second). The Baton is **black** with white rotating bands.

The green and black batons are used for rapid and easy identification between Standard Energy and less than Standard Energy rounds.



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com





ARWEN AR-1 Impact Batons are manufactured using state of the art highest quality proprietary engineered resins. Our ARWEN AR-1 Batons are produced in computer controlled high pressure injection molding equipment. Our Rotating Bands are injection over-molded onto the AR-1 Baton body. This proprietary process produces a very high quality baton that is extremely rotationally stable and accurate. Materials used in the manufacture of our AR-1 Batons are extremely durable. Our batons can be recovered after firing for use in operator training scenarios. Recovering and reusing AR-1 components greatly reduce the cost of operator training.

ARWEN AR-1-AIR family of AIR cushioned Impact Batons offer an "AIR cushioned" Impact Baton. The ARWEN AR-1-AIR Baton is manufactured using our proprietary modular design baton that is shared with our ARWEN AR-3-VALVE Impact Batons. The ARWEN AR-1-AIR Baton is manufactured with a proprietary silicone cap that contains an "Air Chamber" which cushions the kinetic energy delivered to the target. The initial kinetic energy delivered is identical to the solid AR-1 Impact Baton that is then cushioned upon impact. The AR-1-AIR Impact Baton reduces the possibility of deep trauma.

ARWEN AR-2 family offers an assortment of Pyrotechnic Irritant munitions for Anti-Riot and Public Order disturbance control scenarios. **These munitions are not designed for or to be used as direct impact projectile(s) on a human subject.** They are designed to deliver pyrotechnic smoke containing irritant to cover a range of distances separating the ARWEN Operator from agitated subjects. ARWEN AR-2 pyrotechnic munitions are available with either CS or CN Irritant pyrotechnic payloads. ARWEN AR-2 pyrotechnic munitions are available in single and multiple projectile variants. ARWEN AR-2 pyrotechnic munitions are color coded for rapid identification of the irritant payload. All ARWEN AR-2 pyrotechnic smoke is non toxic "Safe Smoke".

ARWEN AR-3-VALVE family of "Valve" Impact Batons offers the ability to deliver a 2.75g powder payload directly onto a subject while impacting the subject with a 78g Impact Baton. The proprietary design of the AR-3-VALVE cap features a sealed chamber containing air and the powder payload. The force of the impact compresses the cap forcing the powder payload out of each of the eight "Valves". The powder payload is instantaneously dispersed onto the target upon impact. The proprietary design of the "Valves" also direct a portion of the powder payload rearward creating a cloud of airborne powder within the target area.

AR-3-VALVE Batons deliver 2.75g of powder payload that is available in four variants: CS, OC, and CN irritant payloads. An INERT powder payload variant is available for operator training or as a "marking" round. Each ARWEN AR-3-VALVE Baton Cap is color coded for rapid identification of the type of powder payload contained within the baton cap. **CS** rounds have a **BLUE** cap, **OC** rounds have an **ORANGE** cap, **CN** rounds have a **RED** cap and the **INERT** rounds have a **YELLOW** cap.



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com





ARWEN AR-4 family offers an extensive assortment of Pyrotechnic Screening munitions without irritant for Anti-Riot, Public Order disturbance control, and emergency rescue extraction scenarios. **These munitions are not designed for or to be used as direct impact projectile(s) on a human subject. They are designed to deliver pyrotechnic smoke to cover a range of distances separating the ARWEN Operator from agitated subjects or in emergency rescue extraction scenarios. ARWEN AR-4 pyrotechnic munitions are available in single and multiple canister variants. The ARWEN AR-4 pyrotechnic munitions are available with white or colored smoke payloads. All ARWEN AR-4 pyrotechnic smoke is non toxic "Safe Smoke".**

ARWEN AR-5 family offers a Barricade Penetrating Projectile round. **These munitions are not designed for or to be used as a direct impact projectile on a human subject.** They are designed to deliver irritant powder payloads into contained structures in Barricaded Subject scenarios. ARWEN AR-5 Barricade Penetrating Projectile rounds are available with CS, OC, CN and INERT powder payloads. ARWEN AR-5 Barricade Penetrating munitions are color coded for rapid identification of the irritant payload.

ARWEN AR-6 family of Muzzle Blast Rounds offers the ARWEN Operator to deploy an effective cloud of powder payload directly onto the subject. Currently available ARWEN AR-6 Muzzle Blast Rounds are:

- AR-6-OC Muzzle Blast Round with OC Irritant Powder.
- AR-6-CS Muzzle Blast Round with CS Irritant Powder.

Brion lhy

AR-6-P Muzzle Blast Practice Round with NON Irritant Powder.

ARWEN AR-99 family of Launching Cartridges offers the ARWEN Operator the option of launching a vast assortment of commercially available Less Lethal munitions such as pyrotechnic grenades using the ARWEN Launching Cup accessory.

37mm ARWEN Aluminum Cartridge Case is manufactured and pressure tested to exacting quality control standards. These Aluminum Cartridge Cases can be recovered after firing for use in operator training scenarios. Recovering and reusing AR-1 components greatly reduce the cost of operator training.

ARWEN Propellant Charge Cartridges use custom manufactured brass cartridges to manufacture the ARWEN Propellant Charges. These brass cartridges are recoverable and rechargeable by qualified personnel to greatly reduce the cost of operator training.

We sincerely thank you for your interest in the ARWEN Less Lethal System. We are committed to providing your agency with leading edge Less Lethal products that will serve your agency now and well into the future. By implementing the ARWEN Less Lethal System, your agency will be joining an ever growing family of Police and Government Agencies deploying the ARWEN Less Lethal System in their day to day operations.

Respectfully,

Brian Kirkey, President



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com





ARWEN 37 Mark III Less Lethal System at a Glance

Model	ARWEN 37 Mark III	ARWEN 37T Mark III	ARWEN 37S Mark III
	ARWEN 37	ARWEN 37 Tactical	ARWEN 37 Shorty
	Illustrated with optional Trijicon Reflex Sight and ARWEN A37-AM-4-R Mount	Illustrated with optional Trijicon Reflex Sight and ARWEN A37-AM-4-R Mount	Illustrated with optional Trijicon Reflex Sight and ARWEN A37-AM-4-R Mount
Caliber	37mm ARWEN	37mm ARWEN	37mm ARWEN
Type of Action	Rotary Magazine	Rotary Magazine	Rotary Magazine
Capacity	5 Rounds	5 Rounds	5 Rounds
Barrel	285mm – 11.25"	185mm – 7.25"	185mm – 7.25''
Rifling	5 Grove	5 Grove	5 Grove
Rate of Twist	1 in 540mm RH – 1 in 21.3"	1 in 540mm RH – 1 in 21.3"	1 in 540mm RH – 1 in 21.3"
Overall Length	710~795mm – 28~31.25" Adjustable Length Buttstock	640~692mm – 24~27.25" Adjustable Length Buttstock	460mm – 18" No Buttstock
Weight Unloaded	3.11kg – 6lb, 14oz	2.98kg – 6lb, 9oz	2.72kg – 6lb
Weight Loaded	3.83kg – 8lb, 4oz with 5 AR-1 rounds	3.61kg – 7lb, 15oz with 5 AR-1 rounds	3.53kg – 7lb, 6oz with 5 AR-1 rounds
Cartridge	37mm ARWEN	37mm ARWEN	37mm ARWEN
Color	Black	Black	Black



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com





ARWEN ACE 37mm Less Lethal System at a Glance

Model	ARWEN ACE	ARWEN ACE T	ARWEN ACE P
	CI S		
	ARWEN ACE	ARWEN ACE Tactical	ARWEN ACE Pistol
	Illustrated with optional Trijicon Reflex Sight and ARWEN A37-AM-4-R-UK Mount		
Caliber	37mm ARWEN	37mm ARWEN	37mm ARWEN
Type of Action	Open Breach Single Shot	Open Breach Single Shot	Open Breach Single Shot
Capacity	1 Round rapidly reloadable	1 Round rapidly reloadable	1 Round rapidly reloadable
Barrel	285mm – 11.25"	185mm – 7.25"	185mm – 7.25"
Rifling	5 Grove	5 Grove	5 Grove
Rate of Twist	1 in 540mm RH – 1 in 21.3"	1 in 540mm RH – 1 in 21.3"	1 in 540mm RH – 1 in 21.3"
Overall Length	740~860mm – 29~34" Adjustable Length Buttstock	585~655mm – 23~26.25" Adjustable Length Buttstock	460mm – 18" No Buttstock
Weight Unloaded	2.09kg – 4lb, 10oz	1.81kg – 4lb	1.64kg – 3lb, 14oz
Weight Loaded	2.23kg – 4lb, 9oz with 1 AR-1 round	3.61kg – 4lb, 3oz with AR-1 round	1.77kg – 3lb, 14oz With AR-1 rounds
Cartridge	37mm ARWEN	37mm ARWEN	37mm ARWEN
Color	Black	Black	Black



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

<u>www.PoliceOrdnance.com</u> <u>Sales@PoliceOrdnance.com</u>



GLOCK Authorized Law Enforcement Distributor



ARWEN 37 Mark III Less Lethal Weapon System



Made in Canada ARWEN 37 Mark III Less Lethal Weapon Pictured with optional A37AM4-R Accessory Mount and Trijicon A.C.O.G. Reflex RX-01 Sight

Specifications:

Model: ARWEN 37 Mark III Caliber: 37mm ARWEN

Type of Action: Rotary Magazine

Capacity: 5 rounds

Barrel: 285 mm - 11.25 inch

Rifling: 5 Grove

Rate of Twist: 1 in 540 mm RH - 1 in 21.3" **Overall Length:** 710-795 mm - 28-31.25" **Weight Unloaded:** 3.11 kg - 6 lb, 14 oz

Weight Loaded (with five AR-1 rounds): 3.83 kg - 8 lb 4 oz

Weight Unloaded (with A37AM4-R and Trijicon A.C.O.G. Reflex Sight): 3.46 kg - 7 lb, 10 oz

Cartridge: Proprietary 37mm ARWEN Cartridge



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com





ARWEN 37T Mark III Less Lethal Weapon System



Made in Canada ARWEN37T Mark III Less Lethal Weapon

Specifications:

Model: ARWEN 37T Mark III - Tactical

Caliber: 37mm ARWEN

Type of Action: Rotary Magazine

Capacity: 5 rounds

Barrel: 185 mm - 7.25 inch

Rifling: 5 Grove

Rate of Twist: 1 in 540 mm RH - 1 in 21.3" **Overall Length:** 640-692 mm - 24-27.25" **Weight Unloaded:** 2.98 kg - 6 lb, 9 oz

Weight Loaded (with five AR-1 rounds): 3.41 kg - 7 lb 7 oz

Weight Unloaded: 3.11 kg - 6 lb, 13 oz

Cartridge: Proprietary 37mm ARWEN Cartridge



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com





ARWEN 37S Mark III Less Lethal Weapon System



Made in Canada ARWEN 37S Mark III Less Lethal Weapon

Specifications:

Model: ARWEN 37S Mark III - Shorty

Caliber: 37mm ARWEN

Type of Action: Rotary Magazine

Capacity: 5 rounds

Barrel: 185 mm - 7.25 inch

Rifling: 5 Grove

Rate of Twist: 1 in 540 mm RH - 1 in 21.3"

Overall Length: 460 mm - 18" Weight Unloaded: 2.72 kg - 6 lb

Weight Loaded (with five AR-1 rounds): 3.35 kg - 7 lb 6 oz

Weight Unloaded: 2.75 kg - 6 lb, 0 oz

Cartridge: Proprietary 37mm ARWEN 37 mm Cartridge



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

<u>www.PoliceOrdnance.com</u> <u>Sales@PoliceOrdnance.com</u>





ARWEN ACE 37mm Less Lethal Weapon System



Specifications:

Model: ARWEN ACE **Caliber:** 37mm ARWEN

Type of Action: Rapidly Reloadable Open Breach Single Shot

Capacity: 1 round

Barrel: 285 mm - 11.25 inch

Rifling: 5 Grove

Rate of Twist: 1 in 540 mm RH - 1 in 21.3" **Overall Length:** 740-860 mm - 29-34" **Weight Unloaded:** 2.09 kg - 4 lb, 10 oz

Cartridge: Proprietary 37mm ARWEN Cartridge

Color: Black



Illustrated with optional ARWEN A37-AM4-R-UK Mount and Trijicon Reflex Sight



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558





ARWEN ACE Tactical 37mm Less Lethal Weapon System



Specifications:

Model: ARWEN ACE T - Tactical

Caliber: 37mm ARWEN

Type of Action: Rapidly Reloadable Open Breach Single Shot

Capacity: 1 round

Barrel: 185 mm - 7.25 inch

Rifling: 5 Grove

Rate of Twist: 1 in 540 mm RH - 1 in 21.3" **Overall Length:** 585-665 mm - 23-26.25"

Weight Unloaded: 1.81 kg - 4 lb

Cartridge: Proprietary 37mm ARWEN Cartridge



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558





ARWEN ACE Pistol 37mm Less Lethal Weapon System



Specifications:

Caliber: 37mm ARWEN

Type of Action: Rapidly Reloadable Open Breach Single Shot

Capacity: 1 round

Barrel: 185 mm - 7.25 inch

Rifling: 5 Grove

Rate of Twist: 1 in 540 mm RH - 1 in 21.3"

Overall Length: 460 mm - 18"

Weight Unloaded: 1.64 kg - 3 lb, 10 oz

Cartridge: Proprietary 37mm ARWEN Cartridge



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com





Less Lethal Impact Training Target

Introducing J.E.R.R.I.T.

Police Ordnance Company Inc. would like to introduce you to J.E.R.R.I.T. a purpose designed Less Lethal Impact munitions Judgmental Extended Range Reactionary Impact Target.



Designed and developed by a full time active Tactical Officer, Constable Casey Brouwer.

Specifications:

Designed and developed by a full time active Tactical Officer, Constable Casey Brouwer.

Description: 3-D Less Lethal Munitions Impact Target Mannequin.

Purpose: To be used as a life sized 3-D Less Lethal Munitions Impact Target for training personnel in judgmental deployment of Less Lethal Impact Munitions such as the ARWEN AR-1 Impact Baton.

Size: 5 foot 7 inch.

Material: Blaze Orange DuPont 1,000 Denier Cordura Nylon.

Durability: We have impacted J.E.R.R.I.T. with in excess of 1,000 rounds of ARWEN AR-1 Impact Batons as well as hundreds of other less lethal impact munitions without damage.

Fill Material: J.E.R.R.I.T. can be filled with foam rubber or Styrofoam packing "peanut" material (client supplied).

Mounting: Shoulder straps permit J.E.R.R.I.T. to be suspended from supports like swing sets.

J.E.R.R.I.T. travels folded without filling to reduce transportation charges.

Made in Canada



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com





ARWEN 37mm Less Lethal System

37mm ARWEN Cartridge Reloading Kit

Introduction

The 37mm ARWEN Cartridge Reloading Kit is purpose designed to permit the ARWEN 37mm Less Lethal System Operator to reload the ARWEN AR-1 family of impact baton munitions.

Benefit

Reloading ARWEN AR-1 Less Lethal Impact Baton munitions encourages extended operator training by offering a cost effective method of reloading the AR-1 family munitions.

Recoverable Components

- 37mm ARWEN Aluminum Cartridge Case
- ARWEN AR-1 Impact Batons
- ARWEN AR-1 Propellant Charge Brass Cartridge Case

ARWEN Reloading Kit



ARWEN 37mm Reloading Kit – ARWEN RK



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com



Distributor



ARWEN Reloading Kit Components



Cartridge Support Base Block



Cartridge Ejector Rod Guide Cartridge Charge Ejector Rod



Cartridge Maximum Diameter Check Ring



Cartridge Charge Insert / Shell HolderCompatible with standard (7/8" x 14 TPI) reloading presses



◆ Operational examples ▶





22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com



Distributor



Optional RCBS-PP Partner Press



RCBS Partner Press



RCBS Partner Press with ARWEN Cartridge Charge Insert / Shell Holder

The optional RCBS Partner Press is a well made cost effective reloading press. The RCBS Partner Press can be bench mounted or mounted on a 2" x 6" piece of wood that can be clamped to a suitable sturdy work surface. Mounting the RCBS Partner Press on a 2 x 6 board offers portability and can be used either in house or at the range. The RCBS Partner Press is compatible with standard (7/8" x 14 TPI) reloading dies.

Basic reloading procedures for the 37mm ARWEN AR-1 Less Lethal Impact Baton munitions are covered in the ARWEN 37 and ARWEN ACE Operators Manuals. Extended reloading procedures are covered in the ARWEN Armourer and Operator Instructor Course.

We encourage operator training on the ARWEN Less Lethal System. We are committed to keeping the cost of operator training to a minimum.



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com



Distributor



ARWEN 37mm Less Lethal System

Part Number		Description
ARWEN ACE Made in UK		ARWEN ACE - 37 mm Single-Shot Less Lethal Weapon, 285 mm (11.25 inch) Barrel, including ARWEN ACE Manual. Overall Length: 740-840mm (29-34 inches). Weight 5 lb 10 oz unloaded.
ARWEN ACE Tactical Made in Canada using UK Components.		ARWEN ACE-T Tactical - 37 mm Single-Shot Less Lethal Weapon, 185 mm (7.25 inch) Barrel, including ARWEN ACE Manual. Overall Length: 585-665 mm (23-26 inches). Weight 4 lb unloaded.
ARWEN ACE Pistol Made in Canada using UK Components		ARWEN ACE-P Pistol - 37 mm Single-Shot Less Lethal Weapon, 185 mm (7.25 inch) Barrel, including ARWEN ACE Manual. Overall Length: 460 mm (18 inches). Weight 4 lb unloaded.
ARWEN 37 Made in Canada	Black ARWEN 37 model provided to customer.	ARWEN 37 – 37 mm Multi-Shot Less Lethal Weapon, 285 mm (11.25 inch) Barrel, including ARWEN 37 Manual. Overall Length: 710-795 mm (28-31inches). Weight 3.11 kg (6 lb 14 oz) unloaded. Illustrated with optional ARWEN A37AM4-R mount and optional Trijicon ACOG Reflex Sight.
ARWEN 37T Tactical Made in Canada	Black ARWEN 37T model provided to customer.	ARWEN 37T – 37 mm Tactical Multi-Shot Less Lethal Weapon, 185mm (7.25 inch) Barrel, including ARWEN 37 Manual. Overall Length: 610-690 mm (27–27 inches). Weight 2.98 kg (6 lb 9 oz) unloaded. Illustrated with optional ARWEN A37AM4-R mount and optional Trijicon ACOG Reflex Sight.
ARWEN 37S Shorty		ARWEN 37S - 37 mm Short Multi-Shot Less Lethal Weapon, 185mm (7.25 inch) Barrel, including ARWEN 37 Manual. Overall Length: 460 mm (18 inches). Weight 2.72 kg (6 lb) unloaded. Specifically designed for CQB operations.
Made in Canada	Black ARWEN 37S model provided to customer.	Illustrated with optional ARWEN A37AM4-R mount and optional Trijicon ACOG Reflex Sight.



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com





ARWEN 37mm Less Lethal System

Part Number	Description
TTS-A37	Tibor Tactical Hi-Lo Sling for the ARWEN Less Lethal Weapon.
Made in Canada	
A37-AM4-R	ARWEN Reflex Sight Interface Mount for the Made in Canada Mark III
	ARWEN 37, 37T, and 37S Less Lethal Weapons. Designed specifically
Made in Canada	for the Trijicon Reflex Sight.
A37-AM4-R-UK	ARWEN Reflex Sight Interface Mount for the Made in UK Mark I and
	Mark II ARWEN 37, 37T, 37S and ACE Less Lethal Weapons.
Made in Canada	Designed specifically for the Trijicon Reflex Sight.
A37-AM4-P	ARWEN Picatinny Rail Interface Mount for the Made in Canada
Made in Canada	ARWEN Mark III ARWEN 37, 37T, and 37S Less Lethal Weapons.
A37-AM4-P-UK	ARWEN Picatinny Rail Interface Mount for the Made in UK Mark I and
Made in Canada	Mark II ARWEN 37, 37T, 37S and ACE Less Lethal Weapons.
ARWEN CASE	ARWEN Black Cordura Semi-Soft Carry Case. This Case provides
Made in Canada	protection for the ARWEN and has pockets for ARWEN Ammunition.
A37-BRUSH	ARWEN 37 Brass Cleaning Brush. Made in USA
ARWEN RK	ARWEN Reloading Kit with Case Including the Following Items:
	Cartridge Support Base Block
	Cartridge Insert Guide with Cartridge Charge Ejector Rod
	Cartridge maximum Diameter Check Ring
	• Cartridge Charge Insert Shell Holder (7/8" x 14 TPI) compatible
	with standard (7/8" x 14 TPI) reloading presses
Made in Canada	Polymer Case for above tools
RCBS-PP	RCBS Partner Press, for bench mount reloading.
Made in USA	
JERRIT	5'7" 3D Judgemental Extended Range Reactionary Impact Target
Made in Canada	
TACM-00001	TACM III Super Bright - White Light Black Delrin Tactical Flashlight
Made in USA	with 7" wire remote pressure switch, with one set of Lithium batteries.

Part Number	Description
TRJ-RX01	Trijicon REFLEX Sight, 6.5 MOA Amber Dot
Made in USA	This is the best choice for optical sights for the ARWEN System.
TRJ-RX20	Trijicon Reflex Polarizing Filter
Made in USA	
TRJ-RX21	Trijicon Reflex Rubber Dust Cover
Made in USA	
TRJ-RX22	Trijicon Reflex Tenebraex Killflash Anti Reflection Device
Made in USA	



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

<u>www.PoliceOrdnance.com</u> <u>Sales@PoliceOrdnance.com</u>



Distributor



ARWEN 37mm Less Lethal System

37mm ARWEN Less Lethal Munitions Components

Part Number	Description
AR-BATON-G	Police Ordnance ARWEN 37mm Green Impact Baton (for Standard
Made in Canada.	Energy 74 m/s rounds). Training use only.
AR-BATON-B	Police Ordnance ARWEN 37mm Black Impact Baton (for Medium
Made in Canada.	Energy 61 m/s rounds). Training use only.
AR-BATON-B	Police Ordnance ARWEN 37mm Black Impact Baton (for Reduced
Made in Canada.	Energy 50 m/s rounds). Training use only.
AR-OCC	Police Ordnance ARWEN Original Cartridge Case. ARWEN 37 mm
Made in Canada	Cartridge Case.
AR-PC-SE	Police Ordnance ARWEN Standard Energy Propellant Charge for
	Training, Box of 50 Propellant Charges, (Reusable Brass Cartridge).
Made in Canada & USA	Color code Green.
AR-PC-ME	Police Ordnance ARWEN Medium Energy Propellant Charge for Training,
	Box of 50 Propellant Charges, (Reusable Brass Cartridge).
Made in Canada.& USA	Color code Blue.
AR-PC-RE	Police Ordnance ARWEN Reduced Energy Propellant Charge for
	Training, Box of 50 Propellant Charges, (Reusable Brass Cartridge).
Made in Canada & USA	Color code Black
AR-PC-WAD	Propellant Charge Wad used in the reloading process for the Propellant
Made in Canada & USA	Charge. Supplies 1,000 Wads per package.



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

<u>www.PoliceOrdnance.com</u> <u>Sales@PoliceOrdnance.com</u>



Distributor



37mm ARWEN Less Lethal Munitions

Part Number Description

Impact Baton Rounds - AR-1 Family

AR-1 ARWEN Impact Baton, Standard Energy
AR-1-ME ARWEN Impact Baton, Medium Energy
AR-1-RE ARWEN Impact Baton, Reduced Energy

Impact Rounds - AR-1-AIR Family

AR-1-AIR ARWEN AIR Cushioned Impact Baton, Standard Energy AR-1-AIR-ME ARWEN AIR Cushioned Impact Baton, Medium Energy AR-1-AIR-RE ARWEN AIR Cushioned Impact Baton, Reduced Energy

Pyrotechnic Irritant Rounds - AR-2 Family

CS IRRITANT PYROTECHNIC ROUNDS

AR-2-CS-SR1 ARWEN Pyrotechnic CS Irritant, Short Range Single Canister
AR-2-CS-SR1-TD ARWEN Pyrotechnic CS Irritant, Short Range Single Canister Time Delay
AR-2-CS-LR1 ARWEN Pyrotechnic CS Irritant, Long Range Single Canister
AR-2-CS-LR1-TD ARWEN Pyrotechnic CS Irritant, Long Range Single Canister Time Delay
AR-2-CS-SR3 ARWEN Pyrotechnic CS Irritant, Short Range Three Canisters
AR-2-CS-LR3 ARWEN Pyrotechnic CS Irritant, Long Range Three Canisters

CN IRRITANT PYROTECHNIC ROUNDS

AR-2-CN-SR1 ARWEN Pyrotechnic CN Irritant, Short Range Single Canister
AR-2-CN-SR1-TD ARWEN Pyrotechnic CN Irritant, Short Range Single Canister Time Delay
AR-2-CN-LR1 ARWEN Pyrotechnic CN Irritant, Long Range Single Canister
AR-2-CN-LR1-TD ARWEN Pyrotechnic CN Irritant, Long Range Single Canister Time Delay
AR-2-CN-SR3 ARWEN Pyrotechnic CN Irritant, Short Range Three Canisters
ARWEN Pyrotechnic CN Irritant, Long Range Three Canisters

PRACTICE PYROTECHNIC ROUNDS

AR-2/P-SR1	ARWEN Pyrotechnic Practice, Short Range Single Canister
AR-2/P-SR1-TD	ARWEN Pyrotechnic Practice, Short Range Single Canister Time Delay
AR-2/P-LR1	ARWEN Pyrotechnic Practice, Long Range Single Canister
AR-2/P-LR1-TD	ARWEN Pyrotechnic Practice, Long Range Single Canister Time Delay
AR-2/P-SR3	ARWEN Pyrotechnic Practice, Short Range Three Canisters
AR-2/P-LR3	ARWEN Pyrotechnic Practice, Long Range Three Canisters



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com





37mm ARWEN Less Lethal Munitions

Part Number Description

Valve Impact Baton with Powder Payload - AR-3-VALVE Family

CS IRRITANT IMPACT BATON ROUNDS

AR-3-VALVE-CS ARWEN Valve Impact Baton, Standard Energy CS Irritant
AR-3-VALVE-ME-CS ARWEN Valve Impact Baton, Medium Energy CS Irritant
AR-3-VALVE-RE-CS ARWEN Valve Impact Baton, Reduced Energy CS Irritant

OC IRRITANT IMPACT BATON ROUNDS

AR-3-VALVE-OC ARWEN Valve Impact Baton, Standard Energy OC Irritant
AR-3-VALVE-ME-OC ARWEN Valve Impact Baton, Medium Energy OC Irritant
AR-3-VALVE-RE-OC ARWEN Valve Impact Baton, Reduced Energy OC Irritant

CN IRRITANT IMPACT BATON ROUNDS

AR-3-VALVE-CN ARWEN Valve Impact Baton, Standard Energy CN Irritant
AR-3-VALVE-ME-CN ARWEN Valve Impact Baton, Medium Energy CN Irritant
AR-3-VALVE-RE-CN ARWEN Valve Impact Baton, Reduced Energy CN Irritant

PRACTICE IMPACT BATON ROUNDS

AR-3-VALVE-/P ARWEN Valve Impact Baton, Standard Energy Practice
AR-3-VALVE-/P-ME ARWEN Valve Impact Baton, Medium Energy Practice
AR-3-VALVE-/P-RE ARWEN Valve Impact Baton, Reduced Energy Practice

Pyrotechnic Smoke Rounds - AR-4 Family

WHITE SMOKE ROUNDS.

AR-4-W-SR1 ARWEN Pyrotechnic White Smoke, Short Range Single Canister

AR-4-W-SR1-TD ARWEN Pyrotechnic White Smoke, Short Range Single Canister Time Delay

AR-4-W-LR1 ARWEN Pyrotechnic White Smoke, Long Range Single Canister

AR-4-W-LR1-TD ARWEN Pyrotechnic White Smoke, Long Range Single Canister Time Delay

AR-4-W-SR3 ARWEN Pyrotechnic White Smoke, Short Range Three Canisters
AR-4-W-LR3 ARWEN Pyrotechnic White Smoke, Long Range Three Canisters

RED SMOKE ROUNDS

AR-4-R-SR1 ARWEN Pyrotechnic Red Smoke, Short Range Single Canister

AR-4-R-SR1-TD ARWEN Pyrotechnic Red Smoke, Short Range Single Canister Time Delay

AR-4-R-LR1 ARWEN Pyrotechnic Red Smoke, Long Range Single Canister

AR-4-R-LR1-TD ARWEN Pyrotechnic Red Smoke, Long Range Single Canister Time Delay

AR-4-R-SR3 ARWEN Pyrotechnic Red Smoke, Short Range Three Canisters
AR-4-R-LR3 ARWEN Pyrotechnic Red Smoke, Long Range Three Canisters



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com





37mm ARWEN Less Lethal Munitions

Part Number Description

Pyrotechnic Smoke Rounds - AR-4 Family

ORANGE SMOKE ROUNDS

AR-4-O-SR1	ARWEN Pyrotechnic Orange Smoke, Short Range Single Canister
AR-4-O-SR1-TD	ARWEN Pyrotechnic Orange Smoke, Short Range Single Canister Time Delay
AR-4-O-LR1	ARWEN Pyrotechnic Orange Smoke, Long Range Single Canister
AR-4-O-LR1-TD	ARWEN Pyrotechnic Orange Smoke, Long Range Single Canister Time Delay
AD 4 O CD2	A DWEN Propose above Construction Chart Propose Three Conjecture

AR-4-O-SR3 ARWEN Pyrotechnic Orange Smoke, Short Range Three Canisters
AR-4-O-LR3 ARWEN Pyrotechnic Orange Smoke, Long Range Three Canisters

YELLOW SMOKE ROUNDS

AR-4-Y-SR1	ARWEN Pyrotechnic Yellow Smoke, Short Range Single Canister
AR-4-Y-SR1-TD	ARWEN Pyrotechnic Yellow Smoke, Short Range Single Canister Time Delay
AR-4-Y-LR1	ARWEN Pyrotechnic Yellow Smoke, Long Range Single Canister
AR-4-Y-LR1-TD	ARWEN Pyrotechnic Yellow Smoke, Long Range Single Canister Time Delay
AR-4-Y-SR3	ARWEN Pyrotechnic Yellow Smoke, Short Range Three Canisters
AR-4-Y-LR3	ARWEN Pyrotechnic Yellow Smoke, Long Range Three Canisters

GREEN SMOKE ROUNDS

AR-4-G-SR1	ARWEN Pyrotechnic Green Smoke, Short Range Single Canister
AR-4-G-SR1-TD	ARWEN Pyrotechnic Green Smoke, Short Range Single Canister Time Delay
AR-4-G-LR1	ARWEN Pyrotechnic Green Smoke, Long Range Single Canister
AR-4-G-LR1-TD	ARWEN Pyrotechnic Green Smoke, Long Range Single Canister Time Delay
AR-4-G-SR3	ARWEN Pyrotechnic Green Smoke, Short Range Three Canisters
AR-4-G-LR3	ARWEN Pyrotechnic Green Smoke, Long Range Three Canisters

BLUE SMOKE ROUNDS

AR-4-B-SR1	ARWEN Pyrotechnic Blue Smoke, Short Range Single Canister
AR-4-B-SR1-TD	ARWEN Pyrotechnic Blue Smoke, Short Range Single Canister Time Delay
AR-4-B-LR1	ARWEN Pyrotechnic Blue Smoke, Long Range Single Canister
AR-4-B-LR1-TD	ARWEN Pyrotechnic Blue Smoke, Long Range Single Canister Time Delay
AR-4-B-SR3	ARWEN Pyrotechnic Blue Smoke, Short Range Three Canisters
AR-4-B-LR3	ARWEN Pyrotechnic Blue Smoke, Long Range Three Canisters

VIOLET SMOKE ROUNDS

AR-4-V-SR1	ARWEN Pyrotechnic Violet Smoke, Short Range Single Canister
AR-4-V-SR1-TD	ARWEN Pyrotechnic Violet Smoke, Short Range Single Canister Time Delay
AR-4-V-LR1	ARWEN Pyrotechnic Violet Smoke, Long Range Single Canister
AR-4-V-LR1-TD	ARWEN Pyrotechnic Violet Smoke, Long Range Single Canister Time Delay
AR-4-V-SR3	ARWEN Pyrotechnic Violet Smoke, Short Range Three Canisters
AR-4-V-LR3	ARWEN Pyrotechnic Violet Smoke, Long Range Three Canisters



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com



Distributor



37mm ARWEN Less Lethal Munitions

Part Number Description

Barricade Penetrating Rounds - AR-5 Mk II Family

CS IRRITANT ROUNDS

AR-5-CS-POWDER ARWEN Barricade Penetrating, Standard Energy CS Irritant, Powder AR-5RE-CS-POWDER ARWEN Barricade Penetrating, Reduced Energy CS Irritant, Powder

OC IRRITANT ROUNDS

AR-5-OC-POWDER ARWEN Barricade Penetrating, Standard Energy OC Irritant, Powder AR-5RE-OC-POWDER ARWEN Barricade Penetrating, Reduced Energy OC Irritant, Powder

CN IRRITANT ROUNDS

AR-5-CN-POWDER AR-5RE-CN-POWDER AR-5RE-CN-POWDER ARWEN Barricade Penetrating, Standard Energy CN Irritant, Powder ARWEN Barricade Penetrating, Reduced Energy CN Irritant, Powder

PRACTICE ROUNDS

AR-5/P-POWDER ARWEN Barricade Penetrating, Standard Energy Practice, Powder AR-5RE/P-POWDER ARWEN Barricade Penetrating, Reduced Energy Practice, Powder

Muzzle Blast Rounds - AR-6 Family

CS IRRITANT ROUNDS

AR-6-CS ARWEN Muzzle Blast, CS Irritant

OC IRRITANT ROUNDS

AR-6-OC ARWEN Muzzle Blast, OC Irritant

CN IRRITANT ROUNDS

AR-6-CN ARWEN Muzzle Blast, CN Irritant

PRACTICE ROUNDS

AR-6/P ARWEN Muzzle Blast, Practice

Launching Cartridges - AR-99 Family

AR-99-SR ARWEN Launching Cartridge, Short Range AR-99-LR ARWEN Launching Cartridge, Long Range

Note: Products and specifications are subject to change without prior notice.



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com





Step by Step ordering instructions for 37mm ARWEN Less Lethal Munitions

Step 1: All order inquires for 37mm ARWEN Less Lethal Munitions must be directed to Police Ordnance Company Inc. Attention: ARWEN Sales Tel: 905-479-2223

Note: All orders for 37mm ARWEN Less Lethal Munitions must be separate from other ARWEN products.

Step 2: All orders must be in U.S. Dollars and should include the following:

- 1. Signed Agency Purchase Order.
- 2. Completed U.S. Federal Excise Tax Exemption Certificate.

This form is available for download from our Web Site:

http://www.policeordnance.com/Assets/Acrobat/Arwen/US-Federal-Excise-Tax.pdf

Step 3: Submit Agency Purchase Order along with a completed U.S. Federal Sales Tax Exemption Certificate directly to Police Ordnance Company Inc.

These documents can be faxed Attention: ARWEN Sales 1-905-479-8558.

These documents may also be emailed to: Sales@PoliceOrdnance.com

Please mail originals to Police Ordnance Company Inc. Attention: ARWEN Sales.

Step 4: On completion of processing your order for 37mm ARWEN 37mm Less Lethal Munitions, we will ship your order directly to your Agency from our manufacturing facility in the U.S.A.

Step 5: We will issue an Invoice for the 37mm ARWEN Less Lethal Munitions once we have confirmation your order has shipped from our U.S. facility and are advised of the applicable shipping charges.

Please direct any inquiries for ARWEN products to ARWEN Sales at Police Ordnance Company Inc.



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

<u>www.PoliceOrdnance.com</u> <u>Sales@PoliceOrdnance.com</u>





Certificate of Sole Source Provider

To Whom It May Concern:

Please accept this letter as an official document certifying that Police Ordnance Company Inc. is the Sole Manufacturer and Provider of the ARWEN Less Lethal Weapon System.

The ARWEN Less Lethal Weapon System includes all ARWEN variants such as the ARWEN 37, ARWEN 37T, ARWEN 37S, ARWEN ACE, ARWEN ACE Tactical, ARWEN ACE Pistol, ARWEN Components, ARWEN Parts, and ARWEN Accessories as well as all ARWEN Ammunition variants and components thereof.

ARWEN® is a Registered Trademark of Police Ordnance Company Inc. The ARWEN system and components thereof are protected by Canadian, US and International Patents which are owned by Police Ordnance Company Inc.

The ARWEN Less Lethal System is provided on a direct to Agency basis ensuring the highest level of customer support. All related sales and support of ARWEN products is the sole responsibility of Police Ordnance Company Inc. Our goal is to provide the leading Less Lethal System directly to users at affordable prices.

We trust this certificate serves your documentation needs.

Thank you for your interest in our ARWEN Less Lethal system products.

Respectfully,

Brian Kirkey, President

Broi thy



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com





ARWEN 37 PERMIT APPLICATION PROCESS for US Agencies

SECTION 1: Documents needed for ATF Permit Application Process:

- 1. Letter from your Chief of Police to ATF stating the ARWEN 37 is for Departmental use.
- 2. Form 6, Part 1 (5330.3A) (2-2002) Application and Permit for Importation of Firearms, Ammunition and Implements of War (Not for use by members of the United States Armed Forces). http://www.policeordnance.com/2004/ARWEN/ARWEN-37-ATF-f53303a.pdf

We have included a blank application as well as examples for each of the ARWEN 37mm Less Lethal Weapons. This is an Acrobat PDF file that includes Bookmarks, click on the Bookmarks Tab to go directly to each Permit Application.

The ATF has this form on their Web Site http://www.atf.gov/forms/msword/f53303a.dot This is a Microsoft Word Template that can be filled out on screen then printed for signature.

- 3. Form 6a (5330.3c) Release & receipt of imported arms, ammunition and implements of war. (sent to you by ATF with Permit approval).
- 4. Form 10 Application for Registration of Firearms Acquired by Certain Government Entities (to be sent to ATF when your ARWEN has been imported). http://www.policeordnance.com/2004/Arwen/US-ATF-f532010.pdf

SECTION 2: Documents from your Purchasing Department:

Purchase Order request, and Purchase Order number. Freight Carrier that your ARWEN will be shipped to you on: (available from Police Ordnance).

Address information:

Police Ordnance Company, Inc.

22 Riviera Drive, Markham, Ontario, Canada L3R 5M1

Telephone numbers:

Police Ordnance Company Inc.: Tel: 905-479-2223, Fax: 905-479-8558 **Brian Kirkey**, Direct Number: **Tel:** 416-347-3662 (this is a 24/7 number)

E-mail addresses:

Police Ordnance Company Inc. Sales@PoliceOrdnance.com
Brian Kirkey, President Brian.Kirkey@PolicOrdnance.com
Jo Winkler, Sales Administration Jo.Winkler@PoliceOrdnance.com
Ruth Doctura, Export Administration Ruth.Doctura@PoliceOrdnance.com



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com





SECTION 3: Process

Obtain the ATF Form 6 Part 1 from the links we have provided in Section 1, or directly from your local ATF office, they should have all the forms you need. Complete the ATF Form 6 Part 1 following instructions provide with the form and in this document.

Send ATF form 6 Part 1, with the letter from the Chief of Police to the ATF Imports Branch, the address is provided in section 12 of the instructions with the form. Make sure the form is complete and the Chief's letter is with the form. We suggest you use blue ball point pen to sign any of the documents. ATF WILL NOT call you and advise you of any errors made in the permit application. Expect the process to take at least 4 to 6 weeks. Keep copies and records of when the application was sent to ATF, you may need to follow up with ATF.

Once the Form 6 Part 1 permit is approved ATF will mail it back to you. Keep the original Form 6 Part 1 and fax a copy to Police Ordnance Company Inc. You will need to present the original to US Customs.

ATF will provide additional forms to you with the Form 6 Part 1. Enclosed in your documentation will be form 6a (5330.c3) (Release & Receipt of Imported Arms, Ammunition and Implements of War). US Customs will complete the Form 6a and mail it to ATF.

Within 15 days of receiving your ARWEN® you will need to obtain and complete the Form 10 Application for Registration of Firearms Acquired by Certain Government Entities or download it from the link provided in **Section 1** and send it to ATF.

US Customs has been extremely helpful to Agencies importing ARWEN® Less Lethal Weapons for their own use. We suggest you contact your local US Customs office and ask a supervisor to assist a fellow Law Enforcement Agency with the Customs procedures.

You could also contact a Customs House Broker to assist you with the paperwork needed by Customs. The Customs House Broker is in business to clear shipments through US Customs. They do charge fees for processing and clearing your shipment. Note: A Customs House Broker is NOT required; they however make the task of importation a little easier.

If you have questions feel free to contact Police Ordnance Company Inc. 905-479-2223.



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com





SECTION 4: Step by Step Instructions on how to Complete ATF form 6 Part 1

Title of Form:

Department of the Treasury

Bureau of Alcohol, Tobacco and Firearms

APPLICATION AND PERMIT FOR IMPORTATION OF FIREARMS, AMMUNITION AND IMPLEMENTS OF WAR

NOT FOR USE BY MEMBERS OF THE UNITED STATES ARMED FORCES (ATF 6 – Part 1 (5330.3a) (2-2002)

- 1. FEDERAL FIREARMS LICENSE (if any) this is not applicable to an agency. LICENCE NO. Not applicable to agencies you can leave this field blank. EXPIRATION DATE Not Applicable you can leave this field blank.
- 2. TELEPHONE NO. Enter your agencies telephone number including area code here.
- 3. COUNTRY OF EXPORTATION: Enter CANADA here.
- 4. NAME AND ADDRESS OF BROKER, if any (including ZIP code). If you choose to use the services of a Customs House Broker, provide their information here. We do not suggest the permit be sent to a broker.
- 5. APPLICANT'S NAME AND ADDRESS (including ZIP Code): Enter your Agencies Name, Address, and ZIP Code here. We suggest the permit be returned to the applicant (your agency).
- 6. NAME AND ADDRESS OF FOREIGN SELLER, if any. Please enter the following information:

Police Ordnance Company Inc. 22 Riviera Drive Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

7. NAME AND ADDRESS OF FOREIGN SHIPPER: Enter the following.

Police Ordnance Company Inc. 22 Riviera Drive Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com





8. DESCRIPTION OF FIREARMS AND AMMUNITION:

a. FIREARMS - NAME AND ADDRESS OF MANUFACTURER: Enter the following

Police Ordnance Company Inc. 22 Riviera Drive Markham, Ontario, Canada L3R 5M1

- b. TYPE: Enter RI here.
- c. CALIBER GAUGE OR SIZE: Enter 37mm here.
- d. QUANTITY (Each type): Indicate the quantity of ARWEN's you are importing here
- e. UNIT COST:

Enter the unit price we quoted to you here

- f. US MIL CATEGORY: Enter N/A
- g. MODEL (MFRS) DESIGN: Enter ARWEN 37(or ARWEN 37T or ARWEN 37S) here.
- h. LENGTH OF BARREL:

Enter 11.25 inches (for standard ARWEN 37)
Or
7.25 inches (for the ARWEN 37T or ARWEN 37S) here

i. OVERALL LENGTH (inches): **28 to 31** (for standard ARWEN 37)

Or

24 to 27 (for ARWEN 37T) or **18** (for ARWEN 37S) here

- j. SERIAL NUMBER: Leave blank, the serial number will not be known until time of shipment
- k. NEW (N) or USED (U): Enter New here
- 1. CERTIFCATION OF ORIGIN: Check the first two boxes under 9a

DO NOT CHECK THE BOX 9.b.

10. SPECIFIC PURPOSE OF IMPORTATION: *Enter* Used for riot control, less lethal munitions, and delivery of police related chemical munitions during riots or barricaded suspect incidents.



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com



Law Enforcement
Distributor



- 11. ARE YOU REGISTERED PURSUANT TO THE ARMS EXPORT CONTROL ACT OF 1976 You will likely answer **NO** to this question.
- 12. IF "YES" GIVE REGISTRATION NO: You will likely leave this blank.
- 13. SIGNATURE OF APPLICANT: Have your CHIEF sign here in BLUE Ink.
- 14. TITLE: Enter Chief of Police here.
- 15. DATE: Enter the date the application is signed.

SECTION 5: Important Reminders

Enclose the Letter from your Chief of Police, stating:

The ARWEN® weapon(s) identified on the accompanying ATF Form 6 Part 1 are for Departmental use only and are to be used for riot control, less lethal munitions, and delivery of police related chemical munitions during riots or barricaded suspect incidents.

This letter must be sent with the Form 6 Part 1 application to ATF registered mail with return confirmation of receipt is suggested (this will help track your application if necessary).

Keep copies of all documents for your file

We suggest you continually follow up with ATF on the status of your application. If there is an error or omission, they will likely **not** advise you and your application just seems to sit.

Once the ATF advises you that the permit is approved, obtain the permit number. If the permit does not arrive in a reasonable time, follow up with ATF advising them of the permit number, they have lost permits in the past

Forward a **copy** (do NOT send the original) of the ATF Form 6 Part 1 and your Agencies Purchase Order to Police Ordnance Company Inc. You can FAX the documents to Police Ordnance 1-905-479-8558; this will expedite the shipping of your ARWEN®(s). Police Ordnance Company Inc. will include the copy of the ATF Form 6 Part 1 with the shipment of your ARWEN®(s) to simplify US Customs release.

KEEP THE ORIGINAL ATF Form 6 Part 1; you will need the ORIGINAL for US Customs when your ARWEN shipment arrives.

We trust this information will make the Import process easier to deal with. Should you require additional assistance contact your local US Customs Office or Police Ordnance Company Inc.

Thank you for your confidence in our ARWEN® 37 Less Lethal Weapon System.

OMB No. 1512-0017

DEPARTMENT OF THE TREASURY

BUREAU OF ALCOHOL, TOBACCO AND FIREARMS

FOR ATF USE ONLY PERMIT NO.

APPLICATION AND PERMIT FOR IMPORTATION OF FIREARMS. AMMUNITION AND IMPLEMENTS OF WAR

VALID FOR 12 MONTHS AFTER THE

NOT FOR USE BY MEMBERS OF THE UNITED STATES ARMED FORCES (Submit in triplicate) DATE OF APPROVAL (ITEM 18 BELOW) **SECTION I – APPLICATION** 1. FEDERAL FIREARMS LICENSE (If Any) 2. TELEPHONE NO 3. COUNTRY OF EXPORTATION LICENSE NO. **EXPIRATION DATE** CANADA 4. NAME AND ADDRESS OF BROKER, it any (Including ZIP Code) 5. APPLICANT'S NAME AND ADDRESS (Including ZIP Code) Check here if permit is to be returned to broker. Check here if permit is to be returned to applicant. NAME AND ADDRESS OF FOREIGN SELLER, if any NAME AND ADDRESS OF FOREIGN SHIPPER Police Ordnance Company Inc. Police Ordnance Company Inc. 22 Riviera Drive 22 Riviera Drive Markham, Ontario, Canada L3R 5M1 Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558 Tel: 905-479-2223 Fax: 905-479-8558 8. DESCRIPTION OF FIREARMS AND AMMUNITION (For firearms, enter (SG) - Shotgun; (RI) - Rifle; (PI) - Pistol; (RE) - Revolver) MODEL **OVERALL** TYPE NAME AND ADDRESS OF NEW UNIT CALIBER GAUGE QUANTITY SERIAL US MII LENGTH (MFRS) **LENGTH** OR USED (SG).(RI) **MANUFACTURER** COST OR SIZE (Each type) CATEGORY (PI),(RÉ) **DESIGN** OF BARREI (inches) NO. (U) е Н g Police Ordnance RΙ 37mm N/A NEW Company Inc. **FIREARMS** 22 Riviera Drive Markham, Ontario Canada Lr3R 5M1 IMPLEMENTS OF 9. CERTIFICATION OF ORIGIN. The items sought for importation in block 8: AMMUNITION (Ball a. Do not contain U.S. manufactured parts or components; and Wad-Do not contain foreign manufactured parts or components that cutter. were manufactured with U.S. technical data or assistance; or Shot. Contain U.S. manufactured parts or components and/or etc.) foreign manufactured parts or components that were manufactured with U.S. technical data or assistance 10. SPECIFIC PURPOSE OF IMPORTATION (Use additional sheets, if necessary) Used for riot control, less lethal munitions, and delivery of police related chemical munitions during riots or barricaded suspect incidents. 11. ARE YOU REGISTERED PURSUANT TO THE ARMS EXPORT 12. IF "YES", GIVE REGISTRATION NO. AND EXPIRATION DATE **CONTROL ACT OF 1976** YES X NO Under the penalties provided by law, I declare that I have examined this application, including the documents submitted in support of it, and, to the best of my knowledge and belief, it is true, correct, and complete. 14. TITI F 13. SIGNATURE OF APPLICANT 15. DATE SECTION II - FOR ATF USE ONLY (Please make no entries in this section) THE APPLICATION HAS BEEN EXAMINED AND THE IMPORTATION OF THE FIREARMS, AMMUNITION, AND IMPLEMENTS OF WAR DESCRIBED HEREIN IS: WITHDRAWN BY APPLICANT WITHOUT ACTION **APPROVED** RETURNED WITHOUT ACTION FOR ADDITIONAL INFORMATION PARTIALLY APPROVED FOR THE REASON INDICATED HERE OR ON ATTACHED LETTER DISAPPROVED FOR THE REASON INDICATED HERE OR ON ATTACHED LETTER 17. SIGNATURE OF THE DIRECTOR, BUREAU OF ALCOHOL, TOBACCO AND FIREARMS 18. DATE



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com





ARWEN ACE PERMIT APPLICATION PROCESS for US Agencies

SECTION 1: Documents needed for ATF Permit Application Process:

- 1. Letter from your Chief of Police to ATF stating the ARWEN ACE is for Departmental use.
- 2. Form 6, Part I (5330.3A) (2-2002) Application and Permit for Importation of Firearms, Ammunition and Implements of War (Not for use by members of the United States Armed Forces). http://www.policeordnance.com/2004/Arwen/ARWEN-ACE-ATF-f53303a.pdf

We have included a blank application as well as examples for each of the ARWEN ACE 37mm Less Lethal Weapons. This is an Acrobat PDF file that includes Bookmarks, click on the Bookmarks Tab to go directly to each Permit Application.

The ATF has this form on their Web Site http://www.atf.gov/forms/msword/f53303a.dot This is a Microsoft Word Template that can be filled out on screen then printed for signature.

- 3. Form 6a (5330.3c) Release & receipt of imported arms, ammunition and implements of war. (Sent to you by ATF with Permit approval).
- 4. Form 10 Application for Registration of Firearms Acquired by Certain Government Entities (to be sent to ATF when your ARWEN has been imported). http://www.policeordnance.com/2004/Arwen/US-ATF-f532010.pdf

SECTION 2: Documents from your Purchasing Department:

Purchase Order request, and Purchase Order number.

Freight Carrier that your ARWEN will be shipped to you on: (available from Police Ordnance).

Address information:

Police Ordnance Company, Inc.

22 Riviera Drive, Markham, Ontario, Canada L3R 5M1

Telephone numbers:

Police Ordnance Company Inc.: Tel: 905-479-2223, Fax: 905-479-8558 **Brian Kirkey**, Direct Number: **Tel:** 416-347-3662 (this is a 24/7 number)

E-mail addresses:

Police Ordnance Company Inc. sales@PoliceOrdnance.com
Brian Kirkey, President Brian.Kirkey@PolicOrdnance.com
Jo Winkler, Sales Administration Jo.Winkler@PoliceOrdnance.com
Ruth Doctura, Export Administration Ruth.Doctura@PoliceOrdnance.com



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com





SECTION 3: Process

Obtain the ATF Form 6 Part 1 from the links we have provided in Section 1, or directly from your local ATF office, they should have all the forms you need. Complete the ATF Form 6 Part 1 following instructions provide with the form and in this document.

Send ATF form 6 Part 1, with the letter from the Chief of Police to the ATF Imports Branch, the address is provided in section 12 of the instructions with the form. Make sure the form is complete and the Chief's letter is with the form. We suggest you use blue ball point pen to sign any of the documents. ATF WILL NOT call you and advise you of any errors made in the permit application. Expect the process to take at least 4 to 6 weeks. Keep copies and records of when the application was sent to ATF, you may need to follow up with ATF.

Once the Form 6 Part 1 permit is approved ATF will mail it back to you. Keep the original Form 6 Part 1 and fax a copy to Police Ordnance Company Inc.

ATF will provide additional forms to you with the Form 6 Part 1. Enclosed in your documentation will be form 6a (5330.c3) (Release & Receipt of Imported Arms, Ammunition and Implements of War). US Customs will complete the Form 6a and mail it to ATF.

Within 15 days of receiving your ARWEN you will need to obtain and complete the Form 10 Application for Registration of Firearms Acquired by Certain Government Entities or download it from the link provided in **Section 1** and send it to ATF.

US Customs has been extremely helpful to Agencies importing ARWEN Less Lethal Weapons for their own use. We suggest you contact your local US Customs office and ask a supervisor to assist a fellow Law Enforcement Agency with the Customs procedures.

You could also contact a Customs House Broker to assist you with the paperwork needed by Customs. The Customs House Broker is in business to clear shipments through US Customs. They do charge fees for processing and clearing your shipment. Note: A Customs House Broker is NOT required; they however make the task of importation a little easier.

If you have questions feel free to contact Police Ordnance Company Inc. 905-479-2223.



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com





Title of Form:

Department of the Treasury

Bureau of Alcohol, Tobacco and Firearms

APPLICATION AND PERMIT FOR IMPORTATION OF FIREARMS, AMMUNITION AND IMPLEMENTS OF WAR

NOT FOR USE BY MEMBERS OF THE UNITED STATES ARMED FORCES (ATF 6 – Part 1 (5330.3a) (2-2002)

- 1. FEDERAL FIREARMS LICENSE (if any) this is not applicable to an agency. LICENCE NO. Not applicable to agencies you can leave this field blank. EXPIRATION DATE Not Applicable you can leave this field blank.
- 2. TELEPHONE NO. Enter your agencies telephone number including area code here.
- 3. COUNTRY OF EXPORTATION: Enter CANADA here.
- 4. NAME AND ADDRESS OF BROKER, if any (including ZIP code). If you choose to use the services of a Customs House Broker, provide their information here. We do not suggest the permit be sent to a broker.
- 5. APPLICANT'S NAME AND ADDRESS (including ZIP Code): Enter your Agencies Name, Address, and ZIP Code here. We suggest the permit be returned to the applicant (your agency).
- 6. NAME AND ADDRESS OF FOREIGN SELLER, if any. Please enter the following information:

Police Ordnance Company Inc. 22 Riviera Drive| Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

7. NAME AND ADDRESS OF FOREIGN SHIPPER: Enter the following.

Police Ordnance Company Inc. 22 Riviera Drive Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com





8 DESCRIPTION OF FIREARMS AND AMMUNITION:

a) FIREARMS - NAME AND ADDRESS OF MANUFACTURER: Enter the following

Royal Ordnance Kings Meadow Road, Nottingham, England NG2 1EQ

- b) TYPE: Enter **RI** here.
- c) CALIBER GAUGE OR SIZE: Enter **37mm** here.
- d) QUANTITY (Each type): Indicate the quantity of ARWEN's you are importing here
- e) UNIT COST:

Enter the unit price we quoted to you here

- *f)* US MIL CATEGORY: *Enter N/A*
- g) MODEL (MFRS) DESIGN: Enter ARWEN ACE (or ARWEN ACE T or ARWEN ACE P) here.
- h) LENGTH OF BARREL:

Enter 11.25 inches (for standard ARWENACE) or 7.25 inches (for the ARWENACE T or ARWENACE P) here

- OVERALL LENGTH (inches): 29 to 34 (for standard ARWENACE) or 23 to 26 (for ARWENACE T) or 18 (for ARWENACE P) here
- j) SERIAL NUMBER: Leave blank, the serial number will not be known until time of shipment

NEW (N) or USED (U): Enter New here

9. CERTIFCATION OF ORIGIN: Check the first two boxes under 9a

DO NOT CHECK THE BOX 9.b.

- 10. SPECIFIC PURPOSE OF IMPORTATION: *Enter* Used for riot control, less lethal munitions, and delivery of police related chemical munitions during riots or barricaded suspect incidents.
- 11. ARE YOU REGISTERED PURSUANT TO THE ARMS EXPORT CONTROL ACT OF 1976 You will likely answer **NO** to this question.



22 Riviera Drive, Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558

www.PoliceOrdnance.com Sales@PoliceOrdnance.com



Distributor



- 12. IF "YES" GIVE REGISTRATION NO: You will likely leave this blank.
- 13. SIGNATURE OF APPLICANT: Have your **CHIEF** sign here in **BLUE Ink**.
- 14. TITLE: *Enter* **Chief of Police** *here*.
- 15. DATE: *Enter the date the application is signed.*

SECTION 5: Important Reminders

Enclose the Letter from your Chief of Police, stating:

The ARWEN weapon(s) identified on the accompanying ATF Form 6 Part 1 are for Departmental use only and are to be used for riot control, less lethal munitions, and delivery of police related chemical munitions during riots or barricaded suspect incidents.

This letter must be sent with the Form 6 Part 1 application to ATF registered mail with return confirmation of receipt is suggested (this will help track your application if necessary).

Keep copies of all documents for your file

We suggest you continually follow up with ATF on the status of your application. If there is an error or omission, they will likely **not** advise you and your application just seems to sit.

Once the ATF advises you that the permit is approved, obtain the permit number. If the permit does not arrive in a reasonable time, follow up with ATF advising them of the permit number, they have lost permits in the past

Forward a **copy** (do NOT send the original) of the ATF Form 6 Part 1 and your Agencies Purchase Order to Police Ordnance Company Inc. You can FAX the documents to Police Ordnance 1-905-479-8558; this will expedite the shipping of your ARWEN(s). Police Ordnance Company Inc. will include the copy of the ATF Form 6 Part 1 with the shipment of your ARWEN(s) to simplify US Customs release.

KEEP THE ORIGINAL ATF Form 6 Part 1; you will need the ORIGINAL for US Customs when your ARWEN shipment arrives.

We trust this information will make the Import process easier to deal with. Should you require additional assistance contact your local US Customs Office or Police Ordnance Company Inc.

Thank you for your confidence in our ARWEN 37 Less Lethal Weapon System.

OMB No. 1512-0017

DEPARTMENT OF THE TREASURY

BUREAU OF ALCOHOL, TOBACCO AND FIREARMS

FOR ATF USE ONLY PERMIT NO.

APPLICATION AND PERMIT FOR IMPORTATION OF FIREARMS. AMMUNITION AND IMPLEMENTS OF WAR

VALID FOR 12 MONTHS AFTER THE

NOT FOR USE BY MEMBERS OF THE UNITED STATES ARMED FORCES (Submit in triplicate) DATE OF APPROVAL (ITEM 18 BELOW) **SECTION I – APPLICATION** 1. FEDERAL FIREARMS LICENSE (If Any) 2. TELEPHONE NO 3. COUNTRY OF EXPORTATION LICENSE NO. **EXPIRATION DATE** CANADA 4. NAME AND ADDRESS OF BROKER, it any (Including ZIP Code) 5. APPLICANT'S NAME AND ADDRESS (Including ZIP Code) Check here if permit is to be returned to broker. Check here if permit is to be returned to applicant. NAME AND ADDRESS OF FOREIGN SELLER, if any NAME AND ADDRESS OF FOREIGN SHIPPER Police Ordnance Company Inc. Police Ordnance Company Inc. 22 Riviera Drive 22 Riviera Drive Markham, Ontario, Canada L3R 5M1 Markham, Ontario, Canada L3R 5M1 Tel: 905-479-2223 Fax: 905-479-8558 Tel: 905-479-2223 Fax: 905-479-8558 8. DESCRIPTION OF FIREARMS AND AMMUNITION (For firearms, enter (SG) - Shotgun; (RI) - Rifle; (PI) - Pistol; (RE) - Revolver) MODEL **OVERALL TYPE** NAME AND ADDRESS OF NEW UNIT CALIBER GAUGE QUANTITY SERIAL US MII LENGTH (MFRS) **LENGTH** OR USED (SG).(RI) **MANUFACTURER** COST OR SIZE (Each type) CATEGORY (PI),(RÉ) **DESIGN** OF BARREI (inches) NO. (U) е Н Royal Ordnance RΙ 37mm N/A NEW Kings Meadow Road **FIREARMS** Nottingham, England NG2 1EQ IMPLEMENTS OF 9. CERTIFICATION OF ORIGIN. The items sought for importation in block 8: AMMUNITION (Ball a. Do not contain U.S. manufactured parts or components; and Wad-Do not contain foreign manufactured parts or components that cutter. were manufactured with U.S. technical data or assistance; or Shot. Contain U.S. manufactured parts or components and/or etc.) foreign manufactured parts or components that were manufactured with U.S. technical data or assistance 10. SPECIFIC PURPOSE OF IMPORTATION (Use additional sheets, if necessary) Used for riot control, less lethal munitions, and delivery of police related chemical munitions during riots or barricaded suspect incidents. 11. ARE YOU REGISTERED PURSUANT TO THE ARMS EXPORT 12. IF "YES", GIVE REGISTRATION NO. AND EXPIRATION DATE **CONTROL ACT OF 1976** YES X Under the penalties provided by law, I declare that I have examined this application, including the documents submitted in support of it, and, to the best of my knowledge and belief, it is true, correct, and complete. 14. TITI F 13. SIGNATURE OF APPLICANT 15. DATE SECTION II - FOR ATF USE ONLY (Please make no entries in this section) THE APPLICATION HAS BEEN EXAMINED AND THE IMPORTATION OF THE FIREARMS, AMMUNITION, AND IMPLEMENTS OF WAR DESCRIBED HEREIN IS: WITHDRAWN BY APPLICANT WITHOUT ACTION **APPROVED** RETURNED WITHOUT ACTION FOR ADDITIONAL INFORMATION PARTIALLY APPROVED FOR THE REASON INDICATED HERE OR ON ATTACHED LETTER DISAPPROVED FOR THE REASON INDICATED HERE OR ON ATTACHED LETTER 17. SIGNATURE OF THE DIRECTOR, BUREAU OF ALCOHOL, TOBACCO AND FIREARMS 18. DATE